





















- prognostic factors. A clinicopathologic study. *J Neurosurg Sci* 2000 Dec;44:203-210.
34. Isolan GR, Ribas Filho JM, Isolan PM, Giovanini A, Malafaia O, Dini LI, et al. Astrocytic neoplasms and correlation with mutant p53 and Ki-67 proteins. *Arq Neuropsiquiatr* 2005 Dec;63:997-1004.
  35. Atik E, Serarslan Y, Bakaris S, Savas N. The importance of proliferative activity and angiogenesis in meningioma and glioma. *Turk Neurosurg* 2005;15:176-181.
  36. Kayaselçuk F, Zorludemir S, Gümürdülü D, Zeren H, Erman T. PCNA and Ki-67 in central nervous system tumors: correlation with the histological type and grade. *J Clin Oncol* 2002;57:115-121.
  37. Huang Y. Expression and significance of hypoxia inducible factor-1 $\alpha$ , Ki-67 and microvessel density in diffuse infiltrating astrocytoma. *Clin Exp Med* 2010;23:51-56.
  38. Scott IS, Morris LS, Rushbrook SM, Bird K, Vowler SL, Burnet NG, et al. Immunohistochemical estimation of cell cycle entry and phase distribution in astrocytomas: applications in diagnostic neuropathology. *Neuropathol Appl Neurobiol* 2005 Oct;31:455-466.
  39. Das B et al., Raj K et al., Atla B et al., Clinicohistopathological study of astrocytomas along with Ki-67 proliferative index. *International Journal of Research in Medical Sciences* 2018 Feb;6:665-670.
  40. Ambrose MM, Khosla C, Ghosh M, Mallikarjuna VS, Annapurneswari S. Practical value of MIB-1 index in predicting behavior of astrocytomas. *Indian J Pathol Microbiol* 2011;54:520-5.
  41. Montine TJ, Vandersteenhoven JJ, Aguzzi A, Boyko OB, Dodge RK, Kerns BJ, et al. Prognostic significance of Ki-67 proliferation index in supratentorial fibrillary astrocytic neoplasms. *Neurosurgery* 1994;34:674-8.
  42. Rathi KR, Radotra BD, Khosla VK. Proliferative index in astrocytic tumours. *Indian J Pathol Microbiol* 2007;50:754-8.
  43. Giannini C, Scheithauer BW, Burger PC, Christensen MR, Wollan PC, Sebo TJ et al. Cellular proliferation in pilocytic and diffuse astrocytomas. *J Neuropathol Exp Neurol* 1999;58:46-53.
  44. Ralte AM, Sharma MC, Karak AK, Mehta VS, Sarkar C. Clinicopathological features, MIB-1 labeling index and apoptotic index in recurrent astrocytic tumors. *Pathol Oncol Res* 2001;7:267-78.
  45. Klein R, Roggendorf W. Increased microglia proliferation separates pilocytic astrocytomas from diffuse astrocytomas: A double labeling study. *Acta Neuropathol* 2001;101:245-8.
  46. Hsu DW, Louis DN, Efid JT, Hedley-Whyte ET. Use of MIB-1 (Ki-67) immunoreactivity in differentiating grade II and grade III gliomas. *J Neuropathol Exp Neurol* 1997;56:857-65.
  47. Lebelt A, Dzieciol J, Guzińska-Ustymowicz K, Lemancewicz D, Zimnoch L, Czykier E. Angiogenesis in gliomas. *Folia Histochem Cytobiol* 2008;46:69-72.
  48. Leon SP, Folkerth RD, Black PM. Microvessel density is a prognostic indicator for patients with astroglial brain tumors. *Cancer* 1996 Jan;77:362-372.
  49. Izycka-Swieszewska E, Rzepko R, Borowska-Lehman J, Stempniewicz M, Sidorowicz M. Angiogenesis in glioblastoma—analysis of intensity and relations to chosen clinical data. *Folia Neuropathol* 2003;41:15-21.
  50. El-Sayed M, Taha MM. Immunohistochemical expression of cyclooxygenase-2 in astrocytoma: correlation with angiogenesis, tumor progression and survival. *Turk Neurosurg* 2011 Jan;21:27-35.
  51. Chu SH, Yuan XH, Jiang PC, Li ZQ, Zhang J, Wen ZH, et al. The expression of hepatocyte growth factor and its receptor in brain astrocytomas. *Zhonghua Yi Xue Za Zhi* 2005 Mar;85:835-838.
  52. Huang Y. Expression and significance of hypoxia inducible factor-1 $\alpha$ , Ki-67 and microvessel density in diffuse infiltrating astrocytoma. *Clin Exp Med* 2010;23:51-56.
  53. Jang FF, Wei W, De WM. Vascular endothelial growth factor and basic fibroblast growth factor expression positively correlates with angiogenesis and peritumoural brain oedema in astrocytoma. *J Ayub Med Coll Abbottabad* 2008 Apr-Jun;20:105-109.
  54. Mahzouni P, Mohammadzadeh F, Mougouei K, Moghaddam NA, Chehrei A, Mesbah A. Determining the relationship between "microvessel density" and different grades of astrocytoma based on immunohistochemistry for "factor VIII-related antigen" (von Willebrand factor) expression in tumor microvessels. *Indian J Pathol Microbiol* 2010 Oct-Dec;53:605-610.